

References related to the project

- Alderman, D.J., P. Gras (1969). "Gill Disease" of Portuguese oysters. *Nature* 224: 616-617.
- Anderson, J., Hedgecock, D., Berrigan, M., Criddle, K. R., Dewey, W., Ford, S. Gouletquer, P., Hildreth, R., Paolisso, M., Targett, N., Whitlach, R. (2004). Non-native Oysters in the Chesapeake Bay. National Research Council, National Academy Press, 325 p;
- Anses (2010). Avis de l'Afssa relatif à la surmortalité d'huîtres creuses (*Crassostrea gigas*) - <http://www.afssa.fr/Documents/SANT2010sa0068b.pdf>, p17.
- Audemard, C., Barnaud, A., Collins, C.M., Le Roux, F., Sauriau, P.G., Coustau, C., Blachier, P., Berthe, F.C.J., (2001). Claire ponds as an experimental model for *Marteilia refringens* life-cycle studies: new perspectives. *Journal of Experimental Marine Biology and Ecology* 257, 87-108.
- Audemard, C., Le Roux, F., Barnaud, A., Collins, C., Sautour, B., Sauriau, P.G., De Montaudouin, X., Coustau, C., Combes, C., Berthe, F., (2002). Needle in a haystack: involvement of the copepoda *Paracartia grani* in the life-cycle of the oyster pathogen *Marteilia refringens*. *Parasitology* 124, 315-323.
- Arzul, I., Renault, T., Lipart, C. (2001a). Experimental herpes-like viral infections in marine bivalves: demonstration of interspecies transmission. *Dis. Aquat. Org.* 46: 1-6.
- Arzul, I., Nicolas, J.-L., Davison, A. J., Renault, T. (2001b). French scallops: a new host for ostreid herpesvirus-1. *Virology* 290: 342-349.
- Arzul, I., Renault, T., Lipart, C., Davison, A. J. (2001c) Evidence for inter species transmission of oyster herpesvirus in marines bivalves. *J. Gen. Virol.* 82: 865-870.
- Auffret, M., Poder, M. (1983). Recherches sur *Marteilia maurini*, parasite de *Mytilus edulis* sur les côtes de Bretagne nord. *Rev. Trav. Inst. Pêches Mar.*, 47: 105-109.*
- Barbey, C., Budin-Verneuil, A., Cauchard, S., Hartke, A., Laugier, C., Pichereau, V., Petry, S., (2009). Proteomic analysis and immunogenicity of secreted proteins from *Rhodococcus equi* ATCC 33701. *Vet. Microbiol.*, 135: 334-345.
- Batista, F. M., Arzul, I., Pepin, J.F., Ruano, F., Freidman, C., Boudry, P., Renault T. (2007) Detection of ostreid Herpesvirus-1 DNA in bivalve molluscs: a critical review. *Journal of Virological Methods*, 139(1): 1-11.
- Beattie, J.H., Davis, J.P., Downing, S.L. and Chew, K.K. (1988). Summer mortality of Pacific oysters. American Fisheries Society Special Publications 18, 265-268.
- Benachour, A., Morin, T., Hebert, L., Budin-Verneuil, A., Le Jeune, A., Auffray, Y., Pichereau, V. (2009). Identification of secreted and surface proteins from *Enterococcus faecalis*. *Can. J. Microbiol.*, 55: 967-974.
- Berthe, F. C. J., Le Roux, F., Peyretaillade, E., Peyret, P., Rodriguez, D., Gouy, M. and Vivares, C. P. (2000). The existence of the phylum Paramyxea Desportes and Perkins, 1990 is validated by the phylogenetic analysis of the *Marteilia refringens* small subunit ribosomal RNA. *Journal of Eukaryote Microbiology*, 47: 288-293.
- Berthe, F.C.J., Pernas, M., Zerabib, M., Haffner, P., Thebault, A., Figueras, A.J., (1998). Experimental transmission of *Marteilia refringens* with special consideration of its life cycle. *Dis. Aquat. Org.* 34, 135-144.
- Berthe, F.C.J., F. Le Roux, R.D. Adlard and A. Figueras. 2004. Marteiliosis in molluscs: A review. *Aquatic Living Resources* 17: 433-448
- Berthet, N., Reinhardt, A. K.; Leclercq, I., van Ooyen, S., Batéjat, C., Dickinson, P., Stamboliyska, R., Old, I.G., Kong, K. A.; Dacheux, L., Bourhy, H., Kennedy, G. C., Korfhage, C., Cole, S. T., Manuguerra, J.C. (2008). Phi29 polymerase based random amplification of viral RNA as an alternative to random RT-PCR. *BMC Mol Biol.*, 4(9):77-84.
- Bower, S. M., McGladdery, S. E., Price I. M. (1994). Synopsis of infectious diseases and parasites of commercially exploited shellfish. *Ann. Rev. Fish Dis.*, 4:1-199.

- Bower, S. M., Blackbourn, J., Meyer, G. R., Welch, D. W. (1999). Effect of *Perkinsus qugwadi* on various species and strains of scallops. Dis. Aquat. Org., 36:143-151.
- Bower, S.M., Goh, B., Meyer, G.R., Carnegie, R.B., Gee, A., (2005). Epizootiology and detection of nocardiosis in oysters. Diseases in Asian Aquaculture V. Proceedings of the Fifth Symposium on Diseases in Asian Aquaculture, 249-262.
- Burreson, E. M. (1991). Effects of *Perkinsus marinus* infection in the eastern oyster, *Crassostrea virginica* (Gmelin, 1791): I. Susceptibility of native and MSX-resistant stocks. J. Shellfish Res., 10:417-423.
- Bushek, D., Allen, Jr. S. K., (1996). Host-parasite interactions among broadly distributed populations of the eastern oyster *Crassostrea gigas* and the protozoan *Perkinsus marinus*; Mar. Ecol. Prog. Ser., 139:127-141.
- Cahour A. (1979). *Marteilia refringens* and *Crassostrea gigas*. Mar. Fish. Rev., 41, 19-20.
- Calvo, G. W., Luckenbach, M. W., Allen, S. K., Burreson, E. M. (2001). A comparative field study of *Crassostrea ariakensis* (Fujita 1913) and *Crassostrea virginica* (Gmelin 1791) in relation to salinity in Virginia. J. Shellfish Res., 20:221-229.
- Canesi, L., Gallo, G., Gavioli, M., Pruzzo, N. (2002). Bacteria-hemocyte interactions and phagocytosis in marine bivalves. Microsc. Res. Tech., 57:469C-476.
- Carrasco, N., López-Flores, I., Alcaraz, M., Furones, M.D., Berthe, F., Arzul, I. ,(2007^a). Dynamics of the parasite *Marteilia refringens* (Paramyxea) in *Mytilus galloprovincialis* and zooplankton populations in Alfacs Bay (Catalonia, Spain). Parasitology, 134-11: 1541-1550.
- Carrasco, N., López-Flores, I., Alcaraz, M., Furones, MD., Berthe, F.C.J., Arzul, I, (2007b). First record of a *Marteilia* parasite (Paramyxea) in zooplankton populations from a natural estuarine environment. Aquaculture, 269: 63-70.
- Carrasco, N., Arzul, I., Chollet, B., Robert, M., Joly, J.-P., Furones, M.D. Berthe, F.C.J.(2008). Comparative experimental infection of the copepod *Paracartia grani* with *Marteilia refringens* and *M. maurini*. Journal of Fish Diseases 31, 497-504.
- Carrasco, N.; Arzul, I.; Berthe, F.C.J.; Fernández-Tejedor, M.; Durfort, M; Furones, M.D. (2008). Delta de l'Ebre is a natural Bay model for *Marteilia* spp. (Paramyxea) dynamics and life cycle studies. Dis. Aqua. Org., 79 :65-73
- Carrasco, N.; Arzul, I.; Berthe, F.C.J.; Furones, M.D. (2008). *In situ* hybridization detection of *Marteilia refringens* (Paramyxea) initial infective stages in its host *Mytilus galloprovincialis*. J. Fish Dis. 31 :153-157
- Castro, D., Pujalte, M. J., lopez-Cortes, L., Garay, E., Borrego, J. J. (2002). Vibrios isolated from the cultured manila clam (*Ruditapes philippinarum*): numerical taxonomy and antibacterial activities. J. Appl. Microbiol., 93:438-447.
- Cavalier-Smith, T. and Chao, E. E. Y. (2003). Phylogeny and classification of phylum Cercozoa (Protozoa). Protist. 154: 341-358.
- Chang, P., Kuo, S., Lai, S. H., Yang, H. S., Ting, Y. Y., Hsu, C. L., Chen, H. C. (2005). Herpes-like virus infection causing mortality of cultured abalone *Haliotis diversicolor supertexta* in Taiwan. Dis. Aqua. Org., 65: 23-27.
- Colwell, R.R. (1996) Global climate and infectious disease: the cholera paradigm. Science 274: 2031–2025.
- Comps, M. (1970). Observations sur les causes d'une mortalité anormale des huîtres plates (*Ostrea edulis* L.) dans le bassin de Marennes. Rev. Trav. Inst. Pêches Marit. 34:317-326.
- Comps, M., Bonami, J. R. (1977). Infection virale associée à des mortalités chez l'huître *Crassostrea angulata* Th. C. R. Acad. Sc. D., 285:1139-1140.
- Comps, M., Bonami, J. R., Vago, C., Campillo, A. (1976). Une virose de l'huître portugaise (*Crassostrea angulata* Lmk). C. R. Hebd. Séanc. Acad. Sc. D., 282:1991-1993.
- Comps, M., Pichot, Y., Peyretaillade E. (1982). Recherche sur *Marteilia maurini* n. sp. Parasite de la moule *Mytilus galloprovincialis* Lmk. Revue des Travaux de l'institut des Pêches Maritimes, 45: 211-214.

- Culloty, S.C., Cronin, M.A., Mucahy, M.F. (2001). An investigation into the relative resistance of Irish flat oyster *Ostrea edulis*, L. to the parasite *Bonamia ostreeae* (Pichot et al, 1980). *Aquaculture* 19: 229-244.
- Culloty, S.C., Cronin, M.A., Mucahy, M.F. (2004). Potential resistance of a number of populations of the oyster *Ostrea edulis* to the parasite *Bonamia ostreeae*. *Aquaculture* 237: 41-58
- Davison, A. J. (2002). Evolution of the herpesviruses. *Vet. Microbiol.* 86: 69-88.
- Davison, A. J., Trus, B. L., Cheng, N., Steven, A. C., Watson, M. S., Cunningham, C., Le Deuff, R. M. and Renault, T. (2005). A novel class of herpesvirus with bivalve hosts. *J. Gen. Virol.* 86: 41-53.
- Davison, A.J., Eberle, R., Ehlers, B., Hayward, G.S., McGeoch, D.J., Minson, A.C., Pellett, P.E., Roizman, B., Studdert, M.J., Thiry, E. (2009). The order Herpesvirales. *Arch Virol* 154, 171-177.
- Douillet, P. A., Langdon, C. J. (1993). Effects of marine bacteria on the culture of axenic oyster *Crassostrea gigas* (Thunberg) larvae. *The Biological Bulletin*, 184:36-51.
- Dungan, C. F., Elston, R. A. and Schiewe, M. H. (1989). Evidence for colonization and destruction of hinge ligaments in cultured juvenile Pacific oysters (*Crassostrea gigas*) by cytophaga-like bacteria. *Appl. Environ. Microbiol.* 55(5): 1128-1135.
- Elston, R., Humphrey, K., Gee, A., Cheney, D., Davis, J. (2004). Progress in the development of effective probiotic bacteria for bivalve shellfish hatcheries and nurseries. *J. Shellfish Res.*, 23(2):654.
- Engelsma, M.Y., Roozenburg, I., Joly, J.P. (2008). First isolation of *Nocardia crassostreeae* from Pacific oyster *Crassostrea gigas* in Europe. *Dis Aquat Organ* 80, 229-34.
- FAO (2006). State of world aquaculture. FAO Fisheries Technical Paper 500, 129 pp.
- FAO (2009). The state of world fisheries and aquaculture 2008. FAO Fisheries and Aquaculture Department, 176 pp.
- Farley, C. A. (1976). Ultrastructural observations on epizootic neoplasia and lytic virus infection in bivalve mollusks. *Prog. Exp. Tumor Res.*, 20:283-294.
- Farley, C.A., Banfield, W.G., Kasnic, J.R.G., Foster, W.S., 1972. Oyster herpes-type virus. *Science* 178, 759-760.
- Farley, C. A., Lewis, E. J., Relyea, D., Zahtila, J., Rivara, G. (1998). Resistance studies for juvenile oyster disease (JOD) 1997: Some early insights into genetic aspects. *J. Shellfish Res.*, 17:352-353.
- Faury, N., Saulnier, D., Thompson, F. L., Gay, M., Swings, J. and Le Roux F. (2004). *Vibrio crassostreeae* sp. nov., isolated from the haemolymph of oysters (*Crassostrea gigas*). *Int. J. Syst. Evol. Microbiol.* 54: 2137-2140.
- Figueras, A.J., Jourdan, C.F., Caldas, J.R., (1991). Diseases and parasites of rafted mussels (*Mytilus galloprovincialis* Lmk): preliminary results. *Aquaculture* 99(1): 17-33.
- Fleury, E., Huvet, A., Lelong, C., de Lorgeril., J, Boulo, V., Gueguen, Y., Bachère, E., Tanguy, A., Moraga, D., Fabioux, C., Lindeque, P., Shaw, J., Reinhardt, R., Prunet, P., Davey, G., Lapègue, S., Sauvage, C., Corporeau, C., Moal, J., Gavory, F., Wincker, P., Moreews, F., Klopp, C., Mathieu, M., Boudry, P., Favrel, P. (2009) Generation and analysis of a 29,745 unique Expressed Sequence Tags from the Pacific oyster (*Crassostrea gigas*) assembled into a publicly accessible database: the GigasDatabase., *BMC Genomics.* 10:341.
- Ford, S.E., Haskin H. H. (1987). Infection and mortality patterns in strains of oysters *Crassostrea virginica* selected for resistance to the parasite *Haplosporidium nelsoni* (MSX). *J. Parasitol.*, 73:368-376.
- Friedman, C. S. , Hedrick, R. P. (1991). Pacific oyster nocardiosis; Isolation of the bacterium and induction of laboratory infections. *J. Invertebr. Pathol.*, 57: 109-120.

- Friedman, C. S., Beattie, J. H., Elston, R. A., Hedrick, R. P. (1991). Investigation of the relationship between the presence of a Gram-positive bacterial infection and summer mortality of the Pacific oyster, *Crassostrea gigas* Thunberg. Aquaculture, 94:1-15.
- Friedman, C. S., Beaman, B. L., Chun, J., Goodfellow, M., Gee, A., Hedrick, R. P. (1998). *Nocardia crassostreeae* sp. Nov., the causal agent of nocardiosis in Pacific oysters. Int. J. Syst. Bacteriol., 48, 237-246.
- Friedman, C. S., Estes, R. M., Stokes, N. A., Burge, C. A., Hargove, J. S., Barber, B. J., Elston, R. A., Burreson, E. M., Reece, K. S. (2005). Herpes virus in juvenile Pacific oysters *Crassostrea gigas* from Tomales Bay, California, coincides with summer mortality episodes. Dis. Aquat. Org. 63(1): 33-41.
- Gagnaire, B., Gay, M., Huvet, A., Daniel, J.-Y., Saulnier D., Renault, T. (2007). Combination of a pesticide exposure and a bacterial challenge: In vivo effects on immune response of Pacific oyster, *Crassostrea gigas* (Thunberg). Aquat. Toxicol., 84(1):92-102.
- Garnier, M., Labreuche, Y., Nicolas, J. L. (2008). Molecular and phenotypic characterization of *Vibrio aestuarianus* subsp. *francensis* subsp. Nov., a pathogen of the oyster *Crassostrea gigas*. Syst. Appl. Microbiol., 31(5): 358-365.
- Gay, M., Renault, T., Pons, A. M., Le Roux, F. (2004). Two *Vibrio splendidus* related strains collaborate to kill *Crassostrea gigas*: taxonomy and host alterations. Dis. Aquat. Org., 62(1-2):65-74.
- Gestal C., Roch F., Renault T., Pallavicini A., Paillard C., Novoa B., Oubella R., Venier P., Figueras A. (2008) Study of diseases and the immune system of bivalves using molecular biology and genomics Rev. Fisheries Sci. 16(S1): 131-154.
- Gibson, L. F., Woodworth, J., George, A. M. (1998). Probiotic activity of *Aeromonas media* on the Pacific oyster, *Crassostrea gigas*, when challenged with *Vibrio tubiashii*. Aquaculture, 169:111-120.
- Gonzalez, M., Gueguen, Y., Desserre, G., de Lorgeril, J., Romestand, B., Bachère. (2007). Molecular characterization of two isoforms of defensin from hemocytes of the oyster, *Crassostrea gigas*. Dev. Comp. Immunol., 31:332-339.
- Gouletquer P., Heral, M. (1997). Marine Molluscan production trends in France: from fisheries to aquaculture, NOAA Technical Report NMFS 129, p137-164.
- Grizel, H., Heral, M. (1991). Introduction into France of the Japanese oyster (*Crassostrea gigas*). ICES J., 47:399-403.
- Grizel, H., Comps, M., Bonami, J. R., Cousserans, F., Duthoit, J. L., Le Pennec, M. A. (1974). Recherche sur l'agent de la maladie de la glande digestive de *Ostrea edulis* Lenné. Sci. Pêche. Bull. Inst. Pêches Marit., 240: 7-29.
- Gueguen, Y., Cadoret, J. P., Flament, D., Barreau-Roumiguière, C., Girardot, A. L., Garnier, J., Hoareau, A., Bachère, E., Escoubas. J.-M. (2003). Immune gene discovery by expressed sequence tags generated from hemocytes of the bacteria-challenged oyster, *Crassostrea gigas*. Gene, 303:139-145.
- Gueguen, Y., Herpin, A., Aumelas, J. Garnier, J. Fievet, Escoubas, J.-M., Bulet, P. Gonzalez, M., Lelong, C., Favrel, P., Bachère, E. (2006). Characterization of a defensin from the oyster *Crassostrea gigas*: recombinant production, folding, solution structure, antimicrobial activities and gene expression. J. Biol. Chem., 281:313-323 (2006).
- Guo X, Ford S, De Brosse, G, Smolowitz, R. (2003). Breeding and evaluation of eastern oyster strains selected for MSX, Dermo and JOD resistance. J. Shellfish Res., 22:333-334.
- Haskin, H. H., Ford, S. E. (1979). Development of resistance to *Minchinia nelsoni* (MSX) mortality in laboratory-reared and native oyster stocks in Delaware Bay. Mar. Fish. Rev., 54-63.

- Hellio, C., Bado-Nilles, A., Gagnaire, B., Renault, T., Thomas-Guyon, H. (2007). Demonstration of a true phenoloxidase activity and activation of a ProPO cascade in Pacific oyster, *Crassostrea gigas* (Thunberg) in vitro. Fish Shellfish Immunol., 22(4):433-40.
- Herrbach, B. (1971). Sur une affection parasitaire de la glande digestive de l'huître plate, *Ostrea edulis* Linné. Rev. Trav. Inst. Pêches Mar. 35: 79-87.
- Hine, P.M., Cochenneec-Laureau, N. and Berthe, F. C. J. (2001). *Bonamia exitiosus* n. sp. (*Haplosporidida*) infecting flat oysters *Ostrea chilensis* (Philippi) in New Zealand. Dis. Aquat. Org. 47: 63-72.
- Hooper, C., Hardy-Smith, P., Handliger, J. (2007). Ganglioneuritis causing high mortalities in farmed Australian abalone (*Haliotis laevigata* and *Haliotis rubra*). Australian Vet. J. 85(5): 188-193.
- Hubert, F., van der Knaap, W., Noël, T., Roch, P. (1996). Cytotoxic and antibacterial properties of *Mytilus galloprovincialis*, *Ostrea edulis* and *Crassostrea gigas* (bivalve molluscs) hemolymph. Aquat. Liv. Resour., 9: 115-124.
- Hugh Jones, D. (1999). Breeding ponds as a basis for flat oyster (*Ostrea edulis*) culture and their use to develop resistance to the disease *Bonamia ostreae*. J. Shellfish Res., 18: 718.
- Huq, A., Whitehouse, C.A., Grim, C.J., Alam, M., Colwell, R.R. (2008) Biofilms in water, its role and impact in human disease transmission. Current Opinion in Biotechnology 19: 244-247.
- Huvet, A., Herpin, A., Degremont, L., Labreuche, Y., Samain, J.-F., Cunningham, C. (2004). The identification of genes from the oyster *Crassostrea gigas* that are differentially expressed in progeny exhibiting opposed susceptibility to summer mortality. Gene, 343(1): 211-220.
- ICES (1988). Codes of Practice and Manual of Procedures for consideration of the Introduction and Transfers of Marine and Freshwater Organisms. Cooperative Research Report 159. G. E. Turner (ed) (Prepared jointly with the EIFAC Working Party on Introductions) EIFAC publication as EIFAC Occasional Paper No. 23: 44 pp.
- ICES (1995). ICES Code of Practice on the Introduction and Transfers of Marine Organisms - 1994. ICES Co-operative Research Report No. 204.
- Itoh, N., Oda, T., Yomoyoshi, T., Ogawa, K. (2003). Isolation and 18S ribosomal DNA gene sequences of *Marteilioides chungmuensis* (Paramyxea), an ovarian parasite of the Pacific oyster *Crassostrea gigas*. Dis. Aquat. Org., 54:163-169.
- Jenny, M. J., Ringwood, A. H., Lacy, E. R., Lewitus, A. J., Kempton, J. W., Gross, P. S., Warr, G. W., Chapman, R. W. (2002). Potential indicators of stress response identified by expressed sequence tag analysis of hemocytes and embryos from the American oyster, *Crassostrea virginica*. Mar. Biotechnol., 4:81-93.
- Kaspar, C. W., Tamplin, M. L. (1993). Effects of temperature and salinity on the survival of *Vibrio vulnificus* in seawater and shellfish. Appl. Environ. Microbiol. 59(8): 2425-2429.
- Kleeman, S. N., Le Roux, F., Berthe, B., Adlard, D. (2002). Specificity of PCR and in situ hybridization assays designed for detection of *Marteilia sydneyi* and *M. refringens*. Parasitol., 125:131-141.
- Kirn, T.J., Jude, B.A., Taylor, R.K. (2005) A colonization factor links *Vibrio cholerae* environmental survival and human infection. Nature, 438:863-866.
- Kuby, J. (1997). Immunology.WH Freeman Co, New York.
- Lacoste, A., Jalabert, F., Malham, S., Cueff, A., Gelebart, F., Cordevant, C., Lange, M., Poulet, S. A. (2001). A *Vibrio splendidus* strain is associated with summer mortality of juvenile oysters *Crassostrea gigas* in the Bay of Morlaix (North Brittany, France). Dis. Aquat. Org., 46(2):139-145.
- Lambert, C., Nicolas, J. L., Cilia, V. (1998). *Vibrio pectinicida* sp. Nov., a pathogen scallop (*Pecten maximus*) larvae. Int. J. System. Bacteriol. 48: 481-487.

- Lauckner, G. (1983). Diseases of Mollusca: Bivalvia. In: O. Kinne (Eds.). Diseases of Marine Animals. Biologische Anstalt Helgoland, Hamburg, pp 477-963.
- Le Deuff, R.-M. and Renault, T. (1999). Purification and partial genome characterization of a herpes-like virus infecting the Japanese oyster, *Crassostrea gigas*. J. Gen. Virol. 80: 1317-1322.
- Le Roux, F., Audemard C., Barnaud, A. and Berthe, F. (1999). DNA probes as potential tools for the detection of *Marteilia refringens*. Mar. Biotechnol. 1(6): 558-597.
- Le Roux, F., Lorenzo, G., Peyret, P., Audemard, C., Figueras, A., Vivarès, C., Gouy M. and Berthe, F. C. J. (2001). Molecular evidence for the existence of two species of *Marteilia* in Europe. J. Euk. Microbiol. 48: 449-454.
- Le Roux, F., Goubet, A., Thompson, F. L., Faury, N., Gay, M., Swings, J. and Saulnier, D. (2005). *Vibrio gigantis* sp. nov., isolated from the haemolymph of cultured oysters (*Crassostrea gigas*). Int. J. Syst. Evol. Microbiol. 55: 2251-2255.
- Lipp, E.K., Huq, A., Colwell, R.R. (2002) Effects of global climate on infectious disease: the cholera model. Clin Microbiol Rev, 15:757-770.
- Lopez-Flores, I., de la Heran, R., Garrido-Ramos, M. A., Navas, J.L., Ruiz-Rejon, C. and Ruiz-Rejon, M. (2004). The molecular diagnosis of *Marteilia refringens* and differentiation between *Marteilia* strains infecting oysters and mussels based on the rDNA IGS sequence. Parasitol. 129: 411-419.
- Lynch, S.A., Armitage, D.V., Coughlan, J., Mulcahy, M.F., and Culloty, S.C. (2007). Investigating the possible role of benthic macroinvertebrates and zooplankton in the life cycle of the haplosporidian *Bonamia ostreae*. Experimental Parasitology, 115, 359-368.
- Macian, M. C., Garay, E., Gonzalez-Candelas, F., Pujalte, M. J. and Aznar R. (2000). Ribotyping of *Vibrio* populations associated with cultured oysters (*Ostrea edulis*). Syst. Appl. Microbiol. 23(3): 409-417.
- Marchalonis, J., Schluter, S. (1994). Development of an immune system. In: Primordial Immunity, G Beck, G Habicht, E Cooper and J Marchalonis, Annals NY Acad Sci, 712: 1-12.
- Minson, A.C., Davison, A. J., Desrosier, R. C., Fleckenstein, B., McGeoch, D. J., Pellett, P. E., Roizman, B. and Studdert, M. J. (2000). Herpesviridae: In Virus Taxonomy, 7th report of the International Committee on Taxonomy of Viruses (edition M.H.V. van Regenmortel, C.M. Fauquet, D.H.L. Bishop, E.B. Carstens, M.K. Estes, S.M. Lemon, J. Maniloff, M.A. Mayo, D.J. McGeoch, C.R. Pringle and R.B. Wickner). Academic Press, 203-225.
- Mitta, G., Hubert, F., Dyrnyda, E. A., Boudry, P., Roch, P. (2000). Mytilin B and MGD2, two antimicrobial peptides of marine mussels: gene structure and expression analysis. Dev. Comp. Immunol., 24: 381-393.
- Mortensen, S., Arzul, I., Miossec, L., Paillard, C., Feist, S. W., Stentiford, G. D. (2007) Molluscs and Crustaceans. In "Scientific review of wild-farmed fish and shellfish disease interactions" Ed. By R. Raynard, T. Wahli, I. Vatsos and S. Mortensen, 452 pages, available on-line www.dipnet.info/.
- Naciri-Graven, Y., Martin, A. G., Baud, J. P., Renault, T., Gérard, A. (1998). Selecting the flat oyster *Ostrea edulis* (L.) for survival when infected with the parasite *Bonamia ostreae*. J. Exp. Mar. Biol. Ecol. 224: 91-107.
- Nair, G.B. (2008). The new emerging strain of cholera: one step ahead of genomics. Int J Infect Dis 12: E5-E6.
- Nell, J. A., Perkins, B. (2006). Evaluation of the progeny of the third-generation The Sydney rock oyster *Saccostrea glomerata* (Gould 1850) breeding lines for resistance to QX disease *Marteilia sydneyi* and winter mortality *Bonamia roughleyi*. Aquacult. Res., 37(7): 693-700.
- Nell, J. A., Smith, I. R., McPhee, C. C. (2000). The Sydney rock oyster *Saccostrea glomerata* (Gould 1850) breeding programme: progress and goals. Aquacult. Res., 31: 45-49.

- Nicolas, J.-L., Comps, M., Cochennec, N. (1992). Herpes-like virus infecting Pacific oyster larvae, *Crassostrea gigas*. Bull. Eur. Assoc. Fish Pathol., 12: 11-13.
- Novoa, B., Posada, D., Figueiras, A. (2005). Polymorphisms in the sequences of *Marteilia* internal transcribed spacer region of the ribosomal RNA genes (ITS-1) in Spain: genetic types are not related with bivalve hosts. J. Fish Dis., 28: 331-338.
- Numachi, K.-I., Oizumi, J., Sato, S., Imai, T. (1965). Studies on the mass mortality of the oyster in Matsushima Bay III. The pathological changes of the oyster caused by Gram-positive bacteria and their frequency of their infection. Bulletin of the Tohoku National Fisheries Research Institute 25, 39-48.
- OIE (2006). Manual of Diagnostic Tests for Aquatic Animals, OIE, Paris, 5th edition.
- OIE (2009). International Aquatic Animal Health Code. OIE, Paris, 10th edition.
- Paillard, C., Leroux, F., Borrego, J.J. (2004). Bacterial Disease in marine Bivalves: Review of recent studies. Trends and evolution. Aquat. Living Res. ("Special issue on diseases" 17:477-498.
- Paillard, C., Gausson, S., Nicolas, J.L., Le Pennec, J. P., Haras, D. (2006). Molecular Identification of *Vibrio tapetis*, the causative agent of the brown ring disease of *Ruditapes philippinarum*. Aquaculture 253:25-38.
- Peatman, E.J., Wei, X., Feng, J., Liu, L., Kucuktas, H., Li, P., He, C., Rouse, D., Wallace, R., Dunham, R., Liu, Z. (2004). Development of expressed sequence tags from Eastern oyster (*Crassostrea virginica*): lessons learned from previous efforts. Mar. Biotechnol., 6:491-496.
- Pepin, J. F., Riou, A., Renault T. (2008). Rapid and sensitive detection of ostreid herpesvirus 1 in oyster samples by real-time PCR. J. Virol. Meth. 149 : 269-276.
- Perkins, F. O. (1976). Ultrastructure of sporulation in the European flat oyster pathogen *Marteilia refringens*. Taxonomic implications. J. Protozool., 23: 64-74.
- Pichot, Y., Comps, M., Tigé, G., Grizel, H., Rabouin, M. A. (1979). Recherches sur *Bonamia ostreae* gen. n, sp. n., parasite nouveau de l'huître plate *Ostrea edulis* L. Rev. Trav. Inst. Pêches Marit. 43:131-140.
- Ragone-Calvo, L. M., Calvo, G. W., Burreson, E. M., (2003). Dual resistance in a selectively bred eastern oyster, *Crassostrea virginica*, strain tested in Chesapeake Bay. Aquaculture, 220:69-87.
- Renault, T., Le Deuff, R.-M., Lipart, C., Delsert, C. (2000). Development of a PCR procedure for the detection of a herpes-like virus infecting oysters in France. J. Virol. Meth., 88:41-50.
- Renault, T., Arzul, I. (2001). Herpes-like virus infections in hatchery-reared bivalve larvae in Europe: specific viral DNA detection by PCR. J. Fish Dis. 24: 161-167.
- Renault, T., Lipart, C., Arzul, I. (2001). A herpes-like virus infects a non-ostreid bivalve species: virus replication in *Ruditapes philippinarum* larvae. Dis. Aquat. Org., 45:1-7.
- Riquelme, C. E., Jorquera, M. A., Rojas, A. I., Avendano, R. E., Reyes, N. (2001). Addition of inhibitor-producing bacteria to mass cultures of *Argopecten purpuratus* larvae (Lamarck, 1819); Aquaculture, 192:111-119.
- Roch, P. (1999). Defense mechanisms and disease prevention in farmed marine invertebrates. Aquaculture, 172:125-145.
- Romero, J., García-Varela, M., Laclette, J. P ;, Espejo, R. T. (2002). Bacterial 16S rRNA gene analysis revealed that bacteria related to *Arcobacter* spp. constitute an abundant and common component of the oyster microbiota (*Tiostrea chilensis*). Microb. Ecol., 44(4): 365-371.
- Ruiz-Ponte, C., Samain, J.-F., Sanchez, J.J., Nicolas, J.-L. (1999). The benefit of a *Roseobacter* species on the survival of scallop larvae. Marine Biotechnology, 1:52-59.
- Saulnier, D., De Decker, S., Haffner, P. (2009). Real-time PCR assay for rapid detection and quantification of *Vibrio aestuarianus* in oyster and seawater: A useful tool for epidemiologic studies. J. Microbiol. Meth.; 77 (2): 191-197.

- Segarra, A., Pepin, J.F., Arzul, I., Morga, B., Faury, N., Renault, T. (2010). Detection and description of a particular *Ostreid herpesvirus 1* genotype associated with massive mortality outbreaks of Pacific oysters, *Crassostrea gigas*. *Virus Res.*, 153:92-95.
- Schikorski, D., Faury, N., Pepin, J.F., Saulnier, D., Tourbiez, D., Renault, T. (2010). Experimental *Ostreid herpesvirus 1* (OsHV-1) infection of the Pacific oyster *Crassostrea gigas*: Kinetics of virus DNA detection by q-PCR in seawater and in oyster samples. *Virus Res.* In press.
- Seo, J. K., Crawford, J. M., Stone, K. L., Noga, E. J. (2005). Purification of a novel arthropod defensin from the American oyster, *Crassostrea virginica*. *Biochem. Biophys. Res. Commun.*, 338:1998-2004.
- Sindermann, C. J., 1990. Principal Diseases of Marine fish and Shellfish; Academic Press, Inc., San Diego.
- Snieszko, S. F. (1974). The effects of environmental stress on outbreaks of infectious diseases of fishes. *J. Fish Biol.*, 6:197-208.
- Song, L., Xu, W., Li, C., Li, H., Wu, L., Xiang, J., Guo, X. (2006) Development of expressed sequence tags from the Bay scallop *Argopecten irradians irradians*. *Mar. Biotechnol.*, 8:161-169.
- Stackebrandt, E., Frederiksen, W., Garrity, G. M., Grimont, P. A., Kampfer, P., Maiden, M. C., Nesme, X., Rossello-Mora, R., Swings, J., Truper, H. G., Vauterin, L., Ward, A. C. and Whitman, W. B. (2002) Report of the ad hoc committee for the re-evaluation of the species definition in bacteriology. *Int. J. Syst. Evol. Microbiol.* 52: 1043-1047.
- Sugumar, G., Nakai, T., Hirata, Y., Matsubara, D. And Muroga K. (1998). *Vibrio splendidus* biovar II as the causative agent of bacillary necrosis of Japanese oyster *Crassostrea gigas* larvae. *Dis. Aquat. Org.* 33(2): 111-118.
- Sutton, D.C., Garrick, R. (1993). Bacterial disease of cultured giant clam *Tridacna gigas* larvae. *Dis. Aquat. Org.*, 16:47-53.
- Tanguy, A ,Guo, X., Ford, S. E. (2004). Discovery of genes expressed in response to *Perkinsus marinus* challenge in Eastern (*Crassostrea virginica*) and Pacific (*C. gigas*) oysters. *Gene*, 338:121-131.
- Thébault, A., Bergman, S., Pouillot, R., Le Roux, F., Berthe, F. C. J. (2005). Validation of in situ hybridisation and histology assays or the detection of the oyster parasite *Marteilia refringens*. *Dis. Aqua. Org.* 65:9-16.
- Tigé, G., Rabouin, M. A. (1976).Etude d'un lot d moules transférées dans un centre touché par l'épidémie affectant l'huître plate. *Proc. I.C.E.S.*, K: 1-10.
- Travers, M.A., Le Bouffant, R., Friedman, C. S., Buzin, F., Cougard, B., Huchette, S., Koken, M., C. Paillard. (2009). Pathogenic *Vibrio harveyi*, in Contrast to Non-Pathogenic Strains, Intervenes With the p38 MAPK Pathway to Avoid an Abalone Haemocyte Immune Response. *J. Cell. Biochem.* 106 :152-160.
- Venier, P., Pallavicini, A., De Nardi, B., Lanfranchi, G. (2003). Towards a catalogue of genes transcribed in multiple tissues of *Mytilus galloprovincialis*. *Gene*, 314:29-40
- Venier P., De Pittà C., Bernante F., Varotto L., De Nardi B., Bovo G., Roch P., Novoa B., Figueras A., Pallavicini A., Lanfranchi G. (2009) MytiBase: a knowledgebase of mussel (*M. galloprovincialis*) transcribed sequences. *BMC Genomics* 10:72.
- Vezzulli, L., Guzmán, C.A., Colwell, R.R., Pruzzo C. (2008). Dual role colonization factors connecting *Vibrio cholerae*'s lifestyles in human and aquatic environments open new perspectives for combating infectious diseases. *Curr. Opin. Biotechnol.* 19:254-259.
- Vezzulli, L., Pruzzo, C., Huq, A., Colwell, R.R. (2010) Environmental reservoirs of *Vibrio cholerae* and their role in cholera. *Environmental Microbiology reports* 2: 27–33.

- Vissers, E. W., Bodelier, P. L., Muyzer, G., Laanbroek, H. J. (2009). A nested PCR approach for improved recovery of archaeal 16S rRNA gene fragments from freshwater samples. FEMS Microbiol Lett., 298(2):193-198.
- Villalba, A., Mourelle, S. G., Lopez, M. C., Carballal, M. J., Azevedo, C. (1993). Marteiliasis affecting cultured mussels *Mytilus galloprovincialis* of Galicia (NW Spain). I. Etiology, phases of the infection, and temporal and spatial variability in prevalence. Dis. Aquat. Org., 16: 61-72.
- Waechter, M., Le Roux, F., Nicolas, J. L., Marissal, E., Berthe, F. (2002). Characterisation of *Crassostrea gigas* spat pathogenic bacteria. C. R. Acad. Sci. Paris, 325:231-238.
- Walker, P., Subasinghe, R. P. (2000). DNA-based molecular diagnostic techniques : research needs for standardization and validation of the detection of aquatic animal pathogens and diseases. FAO, Roma (Italia). Fisheries technical paper (FAO). No. 395, 93 p.
- Xue, Q., Renault, T., Chilmonczyk, S. (2001). Flow cytometric assessment of haemocyte sub-populations in the European flat oyster, *Ostrea edulis*, haemolymph. Fish ,Shellfish Immunol 11(7): 557-567.
- Xue, Q. G., Itoh, N., Schey, K. L., Li, Y. L., Cooper, R. K., La Peyre, J. F. (2007). A new lysozyme from the eastern oyster (*Crassostrea virginica*) indicates adaptive evolution of i-type lysozymes. Cell. Mol. Life Sci., 64:82-95.
- Yu, Z., Guo, X. (2006). Identification and mapping of disease-resistance QTLs in the eastern oyster, *Crassostrea virginica* Gmelin. Aquaculture, 254:160-170.
- Zrncic, S., Le Roux, F., Oraic, D., Sostaric, B., and Berthe F. (2001). First record of *Marteilia* sp. in mussels, *Mytilus galloprovincialis* in Croatia. Dis. Aquat. Org. 44: 143-148.